



3201 West Wall St. Midland, Texas 79701
(432) 520.6700 Fax (432) 520.6707

www.cct.nu

Lubricator Pumps and Gear Boxes

**Retrofit for *Graco/Trabon "MVB", *SB & *Premier PLP,
*Lincoln MCLP and *American Bosch Gear Boxes and Pumps**



CCT System on Cooper GMV10



HVLP Pump
7 & 10 MM

HVLP Gear Box
With HVLP Pumps

High Volume Lube Pumps and Gear Boxes for All Clark, Cooper Bessemer, Ingersoll Rand, Ariel and Worthington Slow Speed and High Speed Engines and Compressors

2 Year Warranty on All Pumps

All High Speed Compressors with Pressurized Suction Pumps
1/4" - 3/8" - 3/16"

Pressurized Suction with Sight Glass For All Rotary Vane Vapor Recovery Compressors

In Stock Replacements for All Box Suction Lubricator Pumps:
Lubriquip, Lincoln, Graco/Trabon, SB, Manzel, Premier

Replacement Lubricator Pumps For All OEM Engines and Compressors

We Stock Replacement Lubricator Boxes For All Engine and Compressor Applications



Ariel 1 Pump



Ariel 2 Pump



Gemini



Ingersoll Rand RDS-HOS



Worthington Cub & Super Cub



White Superior



Ingersoll Rand VIP



AJAX Special: 1 Pump for Engine - 1 Pump for Compressor



AJAX DPC60-80-105-115-140-180-260-280-300-360-600-800

2 Year Warranty on All Lube Boxes

OEM and Replacement Lube Boxes and Pumps to Retrofit: Ariel - Trabon - Lubriquip - Manzel - Ajax - Lincoln - DropsA - Premier - Progressive - Chicago Pneumatic - Energy Industries - Ingersoll Rand - Cooper Axis - Dresser Rand - Gemini - White Superior - Worthington Cub - Cooper Bessemer - Clark

ALL TRADEMARK NAMES ARE THE PROPERTY OF THEIR RESPECTIVE COMPANIES AND NOT ASSOCIATED WITH CC TECHNOLOGY



LUBRICATION DIVISION

3201 West Wall St.
Midland, Texas 79701
(432) 520.6700
Fax (432) 520.6707
www.cct.nu

Lubricator Box Application

Manufacturer & Model	Description	CC TECH
A-C Compressors	Several Options are available Belt Drive, Electric Drive Contact CC Technology	
Ajax Engines EA-220/30. E-42	4pint RH 115:1 Special BM-11235-F-1 CCT (BM-21011)	700301
DP-60/80/115	4pint RH 115:1 Special BM-11235-F-3	700303
CM CMA	3pint RH 115:1 Special 3pint RH 115:1 Special	701801 701802
DP-160/230/300/360	12pint RH Bottom Drive 343:1 BM-10903	700806
Special Short Lubricator f/Ajax	4pint (2-3/8") RH Bottom Drive 86:1	737502
Ajax Compressors C-30/C-42	8pint RH 115:1 Special BM-10855-V-4 CCT (BM-21012)	700404
Lube Box Below Should not be for Used w/Divider Block System		
DPC-60/80/105/115/140/180	12pint RH 115:1 Special BM-10855-XA-6 CCT (BM-21010)	700106
CCT Special Design Lube Boxes - Replaces Old Style Pump Per Point Boxes. 1 Pump for Power cylinders, One Pump for Compressor Cylinders		
DPC-60/80/105/ 115/140/180	4pint 2 feed RH, BD 86:1 (3/8") Use w/ Divider Block System	757802
DPC-600	12pint RH 36:1 (3/8") Special Use w/ Divider Block System	743803
Lube Box Below Should not be Used w/Divider Block Systems		
DPC-120/160//230/280/360	20pint RH Bottom Drive 343:1 BM-15046-Z-12 CCT (BM-21013)	700212
DPC-800	12pint RH Bottom Drive 86:1 BM-15046-V-6 CCT (BM-21015)	700606

CC Technology "proflo" Lubrication Systems
"PROTECTING COMPRESSORS WORLD WIDE"



LUBRICATION DIVISION

3201 West Wall St.
Midland, Texas 79701
(432) 520.6700
Fax (432) 520.6707
www.cct.nu

Lubricator Box Application

Manufacturer & Model	Description	CC TECH
Ariel	One Pump Box 2pint Center Rear 60:1 Two Pump Box 3pint Center Rear 60:1	707701 724502
Arrow (Engine)	4pint Rear Rotary 60:1 Special	707802
Chicago Pneumatic	FE Use w/Divider Block System 2pint Center Rear 30:1	707201
Corken All Units	Several Options Contact CCT	
Cooper Bessemer All Units	Several Options Contact CCT	
Dresser Rand RDS/HOS/VIP/RDH RDS/HOS/RDH	Special Design Use with CCT Divider Block System 3pint 60:1 - 2 pump max use w/ CCT Divider Blocks 4pint 60:1 - 2 pump max use w/ CCT Divider Blocks	732901 735301
RDS/HOS/	Lube Boxes Below Are Not Recommended for Use w/Divider Block System. Use RDS-HOS-RDH-VIP Boxes Above, Less Cost More Reliable Operation 12pint 4feed (2x2) CRR 117:1 w/Beta Drive 12pint 4feed (2x2) CRR117:1 Less Beta Drive 16pint 8feed (2 Comp) CRR 117:1 Less Beta Drive 24pint 12feed (2 Comp) CRR 117:1 Less Beta Drive 8pint 3feed (3/8") CRR 117:1 Less Beta Drive 8pint 3feed (1/4") CRR 117:1 Less Beta Drive	710404 711704 717408 718512 717603 717503
Fuller All Units	Several Options Contact CCT	
Gardner-Denver All Units	Several Options Contact CCT	
Gemini All Units	Several Options Contact CCT	
CCT Has Special Designed Systems and Divider Blocks for Rotary Vane Compressors		
Hy-Bon All Units	3pint 1feed Rear Rotary 60:1 3pint 2feed Rear Rotary 60:1	700701 700702

CC Technology "proflo" Lubrication Systems
"PROTECTING COMPRESSORS WORLD WIDE"



3201 West Wall St.
Midland, Texas 79701
(432) 520.6700
Fax (432) 520.6707
www.cct.nu

Lubricator Box Application

Manufacturer & Model	Description	CC TECH
Ingersoll-Rand KO\KOA	8pint LH Rear Rotary 60:1 Use w/divider Blocks	724606
KO\KOA	Lube Boxes Below Are Not Recommended for Use w/Divider Block System	
	3pint LH Rear Rotary 192:1	710501
	3pint (3/8") LH Rear Rotary 192:1	724201
	D-R No. 9-21-30-1	
	8pint 3feed LH Rear Rotary 192:1	702603
	12pint 7feed LH Rear Rotary 192:1	703807
Joy		
WB-12 (Radial)	4pint RH Bottom Drive 30:1	705903
WB-14 (Radial)	4pint RH Bottom CCT Special Reduction 10:1	776103
WBF-74HD, WBF-74XHD	Use w/Divider Blocks -CCT Special replaces All Multiple pump Boxes 3pint CRR 60:1 w/Mounting Plate	738701-B
WBF-74HD, WBF-74XHD	Use w/Divider Blocks -CCT Special High Volume for Larger Cylinders replaces All Multiple pump Boxes 3pint CRR 30:1 w/Mounting Plate	738701-B-30
Joy	Lube Boxes Below Are Not Recommended for Use w/Divider Block System.	
WBF-74HD, WBF-74XHD	12pint CRR 117:1 w/Radial Bearing Drive	725208
WBF-76HD, WBF-76XHD	4pint CRR 176:1 w Std Bronze Bushings	721004
Norwalk - Penn Pump - Rix Industries - All Units		Contact C C Technology
White Superior		
MW62 - MW64 - MW66 - SW64 - SW66	CCT Special Gear Reduction All Units Using Divider Blocks 4pint LH Gear Head 40:1	768802
MW62 - MW64 - SW64	All Units Using Divider Blocks 4pint LH Gear Head 60:1	704502
Worthington Cub/Super Cub		
	CCT Special 8pint Rear Rotary 58:1 Uses LoveJoy Coupling for Drive	764101
	CCT Special 8pint Rear Rotary 58:1 w/Special Stuffing Box Assy for Internal Frame Drive	764201-HD
	8pint Rear Rotary 117:1 Uses LoveJoy Coupling for Drive	730202
	8pint Rear Rotary 1171 w/Special Stuffing Box Assy for Internal Frame Drive	730102-HD

CC Technology "proflo" Lubrication Systems
"PROTECTING COMPRESSORS WORLD WIDE"



3201 West Wall St.
Midland, Texas 79701
(432) 520.6700
Fax (432) 520.6707
www.cct.nu

Lubricator Box Application

Lubricator Box Application For Simplex, Duplex, Triplex & Quinteplex Plunger Pumps

Manufacturer & Model	Description	CC TECH
Ajax Triplex	4pt, 3fd, RH, 36:1 w/ special stuffing box & stud mtg.	7037-3
Quinteplex	8pt, 5fd, RH, 36:1 w/ special stuffing box & stud mtg.	7046-5
Aplex Triplex	4pt, 3fd, RH, 36:1 Standard 4pt, 3fd, LH, 36:1 Standard	7009-3 7010-3
Bethlehem Triplex	8pt, 3fd, RH, 115:1 No mounting straps	7022-3
Ellis-Williams Triplex	4pt, 3fd, RH, 115:1 Standard	7011-3
FMC		
Triplex	4pt, 3fd, RH, 36:1 Standard 4pt, 3fd, LH, 36:1 Standard	7009-3 7010-3
Quinteplex	8pt, 5fd, RH, 36:1 Standard 8pt, 5fd, LH, 36:1 Standard	7017-5 7019-5
Gardner-Denver		
Triplex	4pt, 3fd, RH, 115:1 No mtg straps (belt driven) 4pt, 3fd, RH, ratchet drive No mtg straps (ratchet)	7054-3 7055-3
Quinteplex	8pt, 5fd, RH, 115:1 No mtg straps	7075-5
Gasco		
Triplex	4pt, 3fd, RH, 36:1 Standard 4pt, 3fd, LH, 36:1 Standard	7009-3 7010-3
Quinteplex	8pt, 5fd, RH, 36:1 Standard 8pt, 5fd, LH, 36:1 Standard	7017-5 7019-5
Ingersoll-Rand Triplex	4pt, 3fd, Rh, 115:1 w/ special shaft (HS horizontals)	7023-3
(Aldrich Pump)	All vertical pumps Contact CC Technology	
Kerr		
Simplex	3pt, 1fd, RH, 36:1 Standard	7034-1
Duplex	3pt, 2fd, RH, 36:1 Standard	7034-2
Triplex	4pt, 3fd, Rh, 36:1 Standard	7009-3
National Triplex	4pt, 3fd, RH, 115:1 Standard 4pt, 3fd, LH, 115:1 Standard	7011-3 7012-3
Quinteplex	8pt, 5fd, RH, 115:1 Standard 8pt, 5fd, LH, 115:1 Standard	7020-5 7021-5

CC Technology "proflo" Lubrication Systems
"PROTECTING COMPRESSORS WORLD WIDE"



3201 West Wall St.
Midland, Texas 79701
(432) 520.6700
Fax (432) 520.6707
www.cct.nu

**Lubricator Box
Application**

Lubricator Box Application For Simplex, Duplex, Triplex & Quinteplex Plunger Pumps

Manufacturer & Model	Description	CC TECH
NLB		
Triplex	4pt, 3fd, RH, 115:1 Standard	7011-3
Quinteplex	8pt, 5fd, RH, 115:1 Standard	7020-3
Oilwell		
Triplex	4pt, 3fd, RH, 115:1 Standard	7011-3
	4pt, 3fd, LH, 115:1 Standard	7012-3
Quinteplex	8pt, 5fd, RH, 115:1 Standard	7020-5
	8pt, 5fd, LH, 115:1 Standard	7021-5
Tritan		
Triplex	4pt, 3fd, RH, 36:1 Standard	7009-3
Quinteplex	8pt, 5fd, RH, 36:1 Standard	7017-5
Union Pump		
Simplex	3pt, 1fd, RH, Ratchet Standard	7058-1
Duplex	3pt, 2fd, RH, Ratchet Standard	7058-2
Triplex	4pt, 3fd, RH, Ratchet Standard	7014-3
	4pt, 3fd, LH, Ratchet Standard	7015-3
Quinteplex	8pt, 5fd, RH, Ratchet Standard	7028-5
	8pt, 5fd, LH, Ratchet Standard	7027-5
Wheatley		
Simplex	3pt, 1fd, RH, 36:1 Standard	7034-1
	3pt, 1fd, LH, 36:1 Standard	7039-1
Duplex	3pt, 2fd, RH, 36:1 Standard	7034-2
	3pt, 2fd, LH, 36:1 Standard	7039-2
Triplex	4pt, 3fd, RH, 36:1 Standard	7009-3
	4pt, 3fd, LH, 36:1 Standard	7010-3
Quinteplex	8pt, 5fd, RH, 36:1 Standard	7017-5
	8pt, 5fd, LH, 36:1 Standard	7019-5
Worthington Pump		
Simplex	3pt, 1fd, LH, Ratchet Standard	7024-1
Duplex	4pt, 2fd, LH, Ratchet Standard	7015-2
Triplex	4pt, 3fd, LH, Ratchet Standard	7015-3

CC Technology "proflo" Lubrication Systems
"PROTECTING COMPRESSORS WORLD WIDE"